

**Commonwealth of Kentucky
Natural Resources and Environmental Protection Cabinet
Department for Environmental Protection
Division for Air Quality
803 Schenkel Lane
Frankfort, Kentucky 40601
(502) 573-3382**

**STATE ORIGIN
AIR QUALITY PERMIT**

Permittee Name: Nally & Haydon, LLC
Mailing Address: 40 Lucknow Court, Bardstown, Kentucky 40004

is authorized to construct and operate a limestone crushing operation

Source Name: Nally & Haydon - Harlan
Mailing Address: Same as above
Source Location: Highway 421, Bledsoe, Kentucky

KYEIS ID #: 21-095-00022
SIC Code: 1422

Region: Appalachian
County: Harlan

Permit Number: S-01-049
Log Number: 53223
Permit Type: Construction/Operating

Issuance Date: March 30, 2001
Expiration Date: March 30, 2006

**John E. Hornback, Director
Division for Air Quality**

SECTION A - PERMIT AUTHORIZATION

Pursuant to a duly submitted application which was determined to be complete on October 6, 2000, the Kentucky Division for Air Quality hereby authorizes the construction and operation of the equipment described herein in accordance with the terms and conditions of this permit. This permit has been issued under the provisions of Kentucky Revised Statutes Chapter 224 and regulations promulgated pursuant thereto.

The permittee shall not construct, reconstruct, or modify any affected facilities without first having submitted a complete application and receiving a permit for the planned activity from the permitting authority, except as provided in this permit or in the Regulation 401 KAR 50:035, Permits.

Issuance of this permit does not relieve the permittee from the responsibility of obtaining any other permits, licenses, or approvals required by this Cabinet or any other federal, state, or local agency.

SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS

- | | | |
|-----------|---------------|--|
| 11 | (0101) | Receiving Hopper (Allis Chalmers Feeder) |
| | (-) | Conveyor and Transfer Points (To #610's Stockpile) |
| | (-) | Conveyor and Transfer Points (To #2's Stockpile) |
| | (-) | Conveyor and Transfer Points (To Rip Rap Stockpile) |
| | (-) | Conveyor and Transfer Points (To Surge Stockpile) |
| | (-) | Conveyor and Transfer Points (To Dense Grade Stockpile) |
| | (-) | Surge Stockpile |
| | (-) | #610's Stockpile |
| | (-) | #610's Truck Loadout |
| | (-) | #2's Stockpile |
| | (-) | #2's Truck Loadout |
| | (-) | Rip Rap Stockpile |
| | (-) | Rip Rap Truck Loadout |
| | (-) | Storage Silo |
| | (-) | Dense Grade Stockpile |
| | (-) | Dense Grade Truck Loadout |
| | (-) | Class "T" Sand Stockpile |
| | (-) | Class "T" Sand Truck Loadout |
| | (-) | Ag Lime Stockpile |
| | (-) | Ag Lime Truck Loadout |
| 12 | (0103) | Scalping Screen (Seco 6'x16')
(Maximum Rated Capacity- 425 tons/hour) |
| 13 | (0111) | Fines Screen (Tyler 6'x12')
(Maximum Rated Capacity- 50 tons/hour) |

SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)

- 14 (-) Conveyor and Transfer Points (Under Scalping Screen)
- (-) Conveyor and Transfer Points (By Pass for Screen #1)
- (-) Conveyor and Transfer Points (Under Screen #2)
- (-) Conveyor and Transfer Points (Between Screens #1 and #2)
- (-) Conveyor and Transfer Points (Feeding Under Screen #2)
- (-) Conveyor and Transfer Points (Under Cone Crushers)
- (-) Conveyor and Transfer Points (Feeding Dense Grade Conveyor
 Between Screens #1 and #2)
- (-) Conveyor and Transfer Points (Between Screens #3 and #4 Feeding
 Under Cone Crusher)
- (-) Conveyor and Transfer Points (Feeding Dense Grade Conveyor Between
 Screens #3 and #4)
- (-) Conveyor and Transfer Points (To Screen #4)
- (-) Conveyor and Transfer Points (To Tyler Screen)
- 15 (-) Haul Road and Yard Area (Unpaved)

WASH PLANT ADDITION

- 16 (W1) Receiving Hopper
- (W3) Washing Screw (54" McClanahan) (Wet Process – No Emissions)
- (W4) Conveyor and Transfer Points (24" Stockpile Feed) (Wet Process – No
 Emissions)
- (W5) Class I Sand Stockpile
- (W6) Class I Sand Truck Loadout
- (W7) Clarifier (Wet Process – No Emissions)
- (W8) Belt Press (Wet Process – No Emissions)

SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)

- 16 (W9) Conveyor and Transfer Points (30" Belt Press Residue) (Wet Process – No Emissions)
- (W10) Belt Press Cake Storage (Solid Product – No Emissions)

PUG MILL ADDITION

- 18 (P1) Stockpile (DGA Pug Mill Feed)
- (P3) Pug Mill (Wayne) (Wet Process – No Emissions)
- (P4) Pug Mill Truck Loadout (Wet Process – No Emissions)

Applicable Regulations :

State Regulation 401 KAR 63:010, Fugitive emissions, applies to each of the affected facilities listed above.

1. Operating Limitations :

N/A

2. Emission Limitations :

The materials processed at each affected facility listed above shall be controlled with either wet suppression and/or enclosures so as to comply with the requirements specified in State Regulation 401 KAR 63:010, Fugitive emissions, Section 3. Standards for fugitive emissions.

Compliance Demonstration Method:

See Section C, General Condition F.2.

3. Testing Requirements :

N/A

4. Monitoring Requirements :

See Section C, General Condition F.2.

SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)

5. Recordkeeping Requirements:

See Section C, General Conditions B.1., B.2., and F.2.

6. Reporting Requirements:

See Section C, General Conditions C.1, C.2, C.3., F.3., and G.2.

SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)

- | | | |
|-----------|---------------|---|
| 01 | (0102) | Primary Crusher (42"x48" Pioneer Jaw)
(Maximum Rated Capacity- 500 tons/hour) |
| 02 | (-) | Conveyor and Transfer Points (Under Primary Crusher) |
| | (-) | Conveyor and Transfer Points (From Surge Stockpile to Screen #1) |
| | (-) | Conveyor and Transfer Points (Under Secondary Crusher) |
| | (-) | Conveyor and Transfer Points (Feeding Storage Silo) |
| | (-) | Conveyor and Transfer Points (Under Storage Silo) |
| | (-) | Conveyor and Transfer Points (To Screens #2 and #3) |
| 03 | (0104) | Secondary Crusher (Wedag Impact 140/160)
(Maximum Rated Capacity- 300 tons/hour) |
| 04 | (0105) | Tertiary Crusher (Triple Roll)
(Maximum Rated Capacity- 75 tons/hour) |
| 05 | (0105) | Tertiary Crusher (Nordberg Cone)
(Maximum Rated Capacity- 200 tons/hour) |

WASH PLANT ADDITION

- | | | |
|-----------|-------------|--|
| 17 | (W2) | Conveyor and Transfer Points (24" To Washing Screw) |
|-----------|-------------|--|

PUG MILL ADDITION

- | | | |
|-----------|-------------|---|
| 19 | (P2) | Conveyor and Transfer Points (30" To Pug Mill) |
|-----------|-------------|---|

Applicable Regulations :

State Regulation 401 KAR 60:670, New nonmetallic mineral processing plants (40 CFR 60, Subpart OOO as modified by Section 2 of 401 KAR 60:670), applies to each of the affected facilities listed above.

1. Operating Limitations :

N/A

SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)

2. Emission Limitations:

a) Fugitive emissions from the primary crusher, emission point 01 (0102); the secondary crusher, emission point 03 (0104); and the two tertiary crushers, emission points 04 (0105) and 05 (0105), shall not exhibit greater than fifteen percent (15%) opacity as specified in State Regulation 401 KAR 60:670 (40 CFR 60.672(c)).

b) Fugitive emissions from the six conveyor and transfer points, emission points 02 (-), (-), (-), (-), (-), and (-), shall not exhibit greater than ten percent (10%) opacity, each, as specified in State Regulation 401 KAR 60:670 (40 CFR 60.672(b)).

Compliance Demonstration Method:

In determining compliance with the opacity standards as listed above, the owner or operator shall use Method 9 and the procedures as described in 40 CFR 60.11 and 40 CFR 60.675(c), except for wet processes, which are exempt from Method 9, as specified in 40 CFR 60.675 (h)(1) and (2).

3. Testing Requirements:

N/A

4. Monitoring Requirements:

See Section C, General Condition F.2.

5. Recordkeeping Requirements:

See Section C, General Conditions B.1., B.2., and F.2.

6. Reporting Requirements:

See Section C, General Conditions C.1., C.2., C.3., F.3., and G.2.

SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)

- 06 (0106) Fines Mill (Nordberg Cone)
(Maximum Rated Capacity- 200 tons/hour)
(Control: Baghouse)
- 07 (0107) Screen #1 (Seco 5'x16')
(Maximum Rated Capacity- 340 tons/hour)
(Control: Baghouse)
- 08 (0108) Screen #2 (Seco 6'x16')
(Maximum Rated Capacity- 285 tons/hour)
(Control: Baghouse)
- 09 (0109) Screen #3 (Seco 6'x16')
(Maximum Rated Capacity- 285 tons/hour)
(Control: Baghouse)
- 10 (0110) Screen #4 (Seco 6'x16')
(Maximum Rated Capacity- 285 tons/hour)
(Control: Baghouse)

Applicable Regulations:

State Regulation 401 KAR 61:020, Existing process operations, applies to each of the affected facilities listed above.

1. Operating Limitations:

N/A

2. Emission Limitations:

The Division for Air Quality has determined that this facility's potential to emit any air pollutant is less than 100 tons per year. Therefore, although the permit is conditioned to allow emissions in excess of 100 tons per year pursuant to federally enforceable Regulation KAR 61:020, Existing process operations, emissions equal to or in excess of 100 tons per year of any pollutant are not possible. Accordingly, this permit is being issued as a minor source state-origin permit. Particulate matter emissions shall not exceed the limits as determined by the following equation using the process weight rate (in units of tons/hr)

$$\begin{array}{ll} \text{For process rates up to 60,000 lbs./hr:} & E = 4.10 * P^{0.67} \\ \text{For process rates in excess of 60,000 lbs./hr:} & E = 55.0 * P^{0.11} - 40 \end{array}$$

For the equation, E = rate of emission in lbs./hr
P = process weight in tons/hr

SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)**2. Emission Limitations : (Continued)**

- a. Pursuant to Regulation 401 KAR 61:020, Section 3(2)(a):
 1. Combined emissions of particulate matter from Fines Mill (Emission Point 06 (0106)) shall not exceed 58.509 lbs/hr.
 2. Combined emissions of particulate matter from Screen #1 (Emission Point 07 (0107)) shall not exceed 64.43 lbs/hr.
 3. Combined emissions of particulate matter from Screen #2 (Emission Point 08 (0108)) shall not exceed 62.42 lbs/hr.
 4. Combined emissions of particulate matter from Screen #3 (Emission Point 09 (0109)) shall not exceed 62.42 lbs/hr.
 5. Combined emissions of particulate matter from Screen #4 (Emission Point 10 (0110)) shall not exceed 62.42 lbs/hr.
- b. Pursuant to Regulation 401 KAR 61:020, Section 3(1)(a), the opacity of visible emissions from each affected facility shall not equal or exceed forty percent (40%).

Compliance Demonstration Method:

- a. Compliance with the hourly particulate emission limit shall be determined as follows:

Hourly Particulate Emission Rate =

(Monthly Processing Rate x Emission Factor from AP-42*)

----- X (1- Control
Efficiency)
(Hours of operation per month)

* If an Emission Factor other than that taken from AP-42 is used, documentation on how that Emission Factor was derived must be submitted to the Division's Central Office for approval.

- b. In determining compliance with the opacity standard as listed above, the owner or operator shall use Reference Method 9.

3. Testing Requirements:

N/A

4. Monitoring Requirements:

See Section C, General Condition F.2.

SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)

5. Record keeping Requirements:

See Section C, General Conditions B.1., B.2., and F.2.

6. Reporting Requirements:

See Section C, General Conditions C.1., C.2., C.3., and F.3.

SECTION C - GENERAL CONDITIONS

A. Administrative Requirements

1. The permittee shall comply with all conditions of this permit. Noncompliance shall be (a) violation(s) of State Regulation 401 KAR 50:035, Permits, Section 7 and is grounds for an enforcement action including but not limited to the termination, revocation and reissuance, or revision of this permit.
2. This permit shall remain in effect for a fixed term of five (5) years following the original date of issue. Permit expiration shall terminate the source's right to operate unless a timely and complete renewal application has been submitted to the Division at least six months prior to the expiration date of the permit. Upon a timely and complete submittal, the authorization to operate within the terms and conditions of this permit, including any permit shield, shall remain in effect beyond the expiration date, until the renewal permit is issued or denied by the Division. [401 KAR 50:035 Section 12]
3. Any condition or portion of this permit which becomes suspended or is ruled invalid as a result of any legal or other action shall not invalidate any other portion or condition of this permit. [401 KAR 50:035 Section 7(3)(k)]
4. The permit contained herein may be revised, revoked, reopened, reissued, or terminated for cause. The filing of a request by the permittee for any permit revision, revocation, reissuance, or termination, or of a notification of a planned change or anticipated noncompliance shall not stay any permit condition. [401 KAR 50:035 Section 7(3)(f)]
5. The permit does not convey property rights or exclusive privileges. [401 KAR 50:035 Section 7(3)(g)]
6. The permit shall be subject to suspension at any time the permittee fails to pay all fees within 90 days after notification as specified in State Regulation 401 KAR 50:038, Air emissions fee. [401 KAR 50:035 Section 9(3)(h)]
7. Nothing in this permit shall alter or affect the authority of the U.S. EPA to impose emergency orders pursuant to Federal Statute 42 USC 7603, Emergency orders. [401 KAR 50:035 Section 8(3)(a)]
8. Nothing in this permit shall alter or affect the liability of the permittee for any violation of applicable requirements prior to or at the time of permit issuance. [401 KAR 50:035 Section 8(3)(b)]
9. Nothing in this permit shall alter or affect the authority of U.S. EPA to obtain information pursuant to Federal Statute 42 USC 7414, Inspections, monitoring, and entry. [401 KAR 50:035 Section 7(2)(b)5]
10. State- Origin Construction/Operating Permit S-96-019 (Revised), dated May 23, 1996, is hereby null and void.

SECTION C - GENERAL CONDITIONS (CONTINUED)

B. Recordkeeping Requirements

1. All records and support information required by State Regulation 401 KAR 50:035, Permits, shall be retained at the source authorized by this permit for a period of five years and shall be made available for inspection upon request by any duly authorized representative of the Division for Air Quality.
2. The permittee shall perform compliance certification and record keeping sufficient to assure compliance with the terms and conditions of the permit. Documents, including reports, shall be certified by a responsible official pursuant to State Regulation 401 KAR 50:035, Permits, Section 6.

C. Reporting Requirements

1. a. In accordance with the provisions of Regulation 401 KAR 50:055, Section 1 the owner or operator shall notify the Division for Air Quality's Hazard Regional Office concerning startups, shutdowns, or malfunctions as follows:
 1. When emissions during any planned shutdowns and ensuing startups will exceed the standards notification shall be made no later than three (3) days before the planned shutdown, or immediately following the decision to shut down, if the shutdown is due to events which could not have been foreseen three (3) days before the shutdown.
 2. When emissions due to malfunctions, unplanned shutdowns and ensuing startups are or may be in excess of the standards notification shall be made as promptly as possible by telephone (or other electronic media) and shall cause written notice upon request.
- b. In accordance with the provisions of Regulation 401 KAR 50:035, Section 7(1)(e)2, the owner or operator shall promptly report deviations from permit requirements including those attributed to upset conditions (other than emission exceedances covered by Reporting Requirement condition 1 a) above) to the Division for Air Quality's Hazard Regional Office.
2. The permittee shall furnish to the Division, in writing, information that the Division may request to determine whether cause exists for modifying, revoking, reissuing, or terminating this permit, or to determine compliance with this permit. [401 KAR 50:035, Section 7(2)(b)3e and 401 KAR Section 7(3)(j)]
3. Summary reports of any monitoring required by this permit shall be reported to the Division's Hazard Regional Office at least every six months during the life of this permit, unless otherwise stated in this permit. The reports are due within 30 days after the end of each six month reporting period. The initial issuance date of this permit establishes the beginning of the first reporting period. The permittee may shift to semi-annual reporting on a calendar year basis upon approval of the regional office. If calendar year reporting is approved, the semi-annual reports are due January 30th and July 30th of each year. All reports shall be certified by a responsible official pursuant to Section 6(1) of Regulation 401 KAR 50:035, Permits. All deviations from permit requirements shall be clearly identified in the reports.

SECTION C - GENERAL CONDITIONS (CONTINUED)**D. Inspections**

1. In accordance with the requirements of Regulation 401 KAR 50:035, Permits, Section 7(2)(c) the permittee shall allow the Cabinet or an authorized representative to perform the following:
 - a. Enter upon the premises where a source is located or emissions-related activity is conducted, or where records are kept;
 - b. Have access to and copy, at reasonable times, any records required by the permit:
 1. During normal office hours, and
 2. During periods of an emergency when prompt access to records is essential to proper assessment by the Cabinet;
 - c. Inspect, at reasonable times, any facilities, equipment (including monitoring and pollution control equipment), practices, or operations required by the permit. Reasonable times shall include, but are not limited to the following:
 1. During all hours of operation at the source,
 2. For all sources operated intermittently, during all hours of operation at the source and the hours between 8:00 a.m. and 4:30 p.m., Monday through Friday, excluding holidays, and
 3. During an emergency; and
 - d. Sample or monitor, at reasonable times, substances or parameters to assure compliance with the permit or any applicable requirements. Reasonable times shall include, but are not limited to the following:
 1. During all hours of operation at the source,
 2. For all sources operated intermittently, during all hours of operation at the source and the hours between 8:00 a.m. and 4:30 p.m., Monday through Friday, excluding holidays, and
 3. During an emergency.

E. Emergencies/Enforcement Provisions

1. The permittee shall not use as defense in an enforcement action, the contention that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance. [401 KAR 50:035 Section 7(3)(e)]
2. Pursuant to State Regulation 401 KAR 50:035, Permits, Section 9, an emergency shall constitute an affirmative defense to an action brought for the noncompliance with the technology-based emission limitations if the permittee demonstrates through properly signed contemporaneous operating logs or other relevant evidence that:
 - a. An emergency occurred and the permittee can identify the cause of the emergency;
 - b. The permitted facility was at the time being properly operated;
 - c. During an emergency, the permittee took all reasonable steps to minimize levels of emissions that exceeded the emissions standards or other requirements in the permit; and
 - d. The permittee notified the Division as promptly as possible and submitted written notice of the emergency to the Division within two working days after the time when emission limitations were exceeded due to the emergency if the notice met the requirement of State Regulation 401 KAR 50:035, Permits, Section 7(1)(e)2, and included a description of the emergency, steps taken to mitigate emissions, and corrective actions taken.

SECTION C - GENERAL CONDITIONS (CONTINUED)

E. Emergencies/Enforcement Provisions Continued)

3. Emergency provisions listed in General Condition E.2 are in addition to any emergency or upset provision contained in an applicable requirement.
4. In an enforcement proceeding, the permittee seeking to establish the occurrence of an emergency shall have the burden of proof.

F. Compliance

1. Permit Shield - Except as provided in State Regulation 401 KAR 50:035, Permits, compliance by the affected facilities listed herein with the conditions of this permit shall be deemed to be compliance with all applicable requirements as of the date of the issuance of this permit.
2. Periodic testing or instrumental or non-instrumental monitoring, which may consist of record keeping, shall be performed to the extent necessary to yield reliable data for purposes of demonstration of continuing compliance with the conditions of this permit. For the purpose of demonstration of continuing compliance, the following guidelines shall be followed:
 - a. Pursuant to State Regulation 401 KAR 50:055, General compliance requirements, Section 2(5), all air pollution control equipment and all pollution control measures proposed by the application in response to which this permit is issued shall be in place, properly maintained, and in operation at any time an affected facility for which the equipment and measures are designed is operated, except as provided by State Regulation 401 KAR 50:055, Section 1.
 - b. All the air pollution control systems shall be maintained regularly in accordance with good engineering practices and the recommendations of the respective manufacturers. A log shall be kept of all routine and non routine maintenance performed on each control device.
3. Pursuant to Regulation 401 KAR 50:035, Permits, Section 7(2)(b), the permittee shall annually complete and return a Compliance Certification Form (DEP 7007CC) to the Division's Hazard Regional Office in accordance with the following requirements:
 - a. Identification of each term or condition of the permit that is the basis of the certification;
 - b. The compliance status regarding each term or condition of the permit;
 - c. Whether compliance was continuous or intermittent; and
 - d. The method used for determining the compliance status for the source, currently and over the reporting period, pursuant to 401 KAR 50:035, Section 7(1)(c),(d), and (e).
 - e. The certification shall be postmarked by the thirtieth (30) day following the applicable permit issuance anniversary date, or by January 30th of each year if calendar year reporting is approved by the regional office. Annual compliance certifications should be mailed to the following addresses:

Division for Air Quality
Hazard Regional Office
233 Birch Street, Suite 2
Hazard, KY 41701-2179

Division for Air Quality
Central Files
803 Schenkel Lane
Frankfort, KY 40601

SECTION C - GENERAL CONDITIONS (CONTINUED)**G. New Construction Requirements:**

1. Pursuant to State Regulation 401 KAR 50:035, Permits, Section 13(1), unless construction is commenced on or before 18 months after the date of issue of this permit, or if construction is commenced and then stopped for any consecutive period of 18 months or more, then the construction and operating authority granted by this permit for those affected facilities for which construction was not completed shall immediately become invalid. Extensions of the time periods specified herein may be granted by the Division upon a satisfactory request showing that an extension is justified.
2. Pursuant to State Regulations 401 KAR 50:035, Permits, Section 7(2)(d) and 401 KAR 59:005, General provisions, Section 3(1), within 30 days following construction commencement, within 15 days following start-up and attainment of maximum production rate, or within 15 days following the issuance date of this permit, whichever is later, the owner and/or operator of the affected facilities specified on this permit shall furnish to the Division's Hazard Regional Office, with a copy to the Division's Frankfort Central Office, the following:
 - a. Date when construction commenced, (See General Condition G.1).
 - b. Start-up date of each of the affected facilities listed on this permit.
 - c. Date when maximum production rate was achieved, (See General Condition G.3.b).
 - d. Summary reports, as referenced in Section C, C.3., of any monitoring required by this permit, for emission units that were still under construction or which had not commenced operation at the end of the 6-month period covered by the report, shall indicate that no monitoring was performed during the previous six months because the emission unit was not in operation.
 - e. The annual compliance certification, as referenced in Section C, F.3., for an emissions unit that was still under construction or which had not commenced operation at the end of the 12-month period covered by the compliance certification, shall indicate that the unit was under construction and that compliance with any applicable requirements will be demonstrated within the timeframes specified in the permit.
3.
 - a. Pursuant to State Regulation 401 KAR 59:005, General provisions, Section 2(1), this permit shall allow time for the initial start-up, operation, and compliance demonstration of the affected facilities listed herein. However, within 60 days after achieving the maximum production rate at which the affected facilities will be operated, but not later than 180 days after initial start-up of such facilities, the owner or operator shall demonstrate compliance to a duly authorized representative of the Division.
 - b. Pursuant to State Regulation 401 KAR 59:005, general provisions, Section 3(1)(b), unless notification and justification to the contrary are received by this Division, the date of achieving the maximum production rate at which the affected facilities will be operated shall be deemed to be 30 days after initial start-up.
4. Operation of the affected facilities authorized by this permit shall not commence until compliance with applicable standards specified herein has been demonstrated in accordance with the requirements of State Regulation 401 KAR 50:035, Permits, Section 13(4).